



THE RANGE AND ALL THE INFO AT A GLANCE



## GUESS HOW MUCH TIME WE SPEND INDOORS EVERY DAY ...



## .. IT'S ABOUT 90%!\*

#### THAT HAS ADVERSE IMPACTS ON OUR WELLBEING.

HERE ARE SOME OF THE CONSEQUENCES OF A LACK OF DAYLIGHT:

Itchy eyes

Poor sleep

Lack of energy

Lack of concentration









<sup>\*</sup>Source: "The Indoor Generation - the effects of modern life on health, wellbeing and productivity", Velux, May 2018. Survey of home owners in northern Europe and North America, You Gov.

# THE ANSWER: SUN@HOME NATURAL SUNLIGHT FOR THE HOME.

SUN@HOME with SunLike LEDs has the same effect as natural sunlight and can help improve the physical wellbeing of your customers. Peaceful sleep and a better mood mean they'll have more energy and be able to concentrate better.

## 3 GOOD REASONS WHY YOUR CUSTOMERS WILL LOVE SUN@HOME:





#### **SUN@HOME IS INVIGORATING:**MORE ENERGY

- Wake up fresh and rested after a peaceful night's sleep
- Start the day energized with natural sunrise light
- A better mood and more energy from early to late





#### SUN@HOME MAKES YOU PRODUCTIVE: BETTER CONCENTRATION


- Greater alertness when learning or working
- Improved performance
- Less eye strain





#### SUN@HOME HELPS YOU RECOVER: BETTER SLEEP

- Gentle preparation for the resting phase before a good night's sleep
- Shorter time to fall asleep
- Noticeably deeper and more relaxed sleep



#### WITH SUN@HOME YOU CAN ADDRESS YOUR CUSTOMERS' MOST PRESSING NEEDS DIRECTLY:

For this target group it's important to be not only healthy and productive but also relaxed, self-determined and happy. They want a lovely, comfortable home where they can escape from the hectic world outside. They are interested in innovations, follow the latest technical developments and are keen to have them in their lives.

The SUN@HOME portfolio is therefore perfect for getting your customers excited.





#### SUN@HOME has proven positive effects:


- active living
- restful sleep
- concentrated work at home



<sup>\*</sup>A study on the perception of full spectrum LEDs; Fraunhofer Institute for Building Physics IBP, March 2020; Harvard University Medical School, U.S. Daytime Exposure to Short Wavelength-Enriched Light Improves Cognitive Performance in Sleep-Restricted College-Aged Adults, 2021.

## PERFECT FOR CONCENTRATION AND PERFORMANCE:

Optimized color rendering\*\* close to that of natural daylight thanks to SUN@HOME with SunLike LEDs: For vibrant natural colors with a color rendering index\*\* (CRI) > 95.



#### IN HARMONY WITH NATURAL RHYTHMS:

The innovative SunLike full-spectrum LEDs in SUN@HOME products offer a wider range of colors than conventional LEDs – from cozy fireside light to stimulating daylight (2200–5000 Kelvin).





**2500 K** in the morning: Warm light for a relaxing start to the day



**5000 K** during the day: Cool white light for full concentration and effective work




2200 K in the evening:
Warm fireside atmosphere with low blue component to encourage better sleep


## PERFECT FOR WELLBEING AND COMFORT:



Reduced blue component\* for better visual comfort and physical wellbeing thanks to SUN@HOME with SunLike LEDs – close to natural light.







#### EXTRA BENEFIT: HYGIENIC AIR

A great added extra: SUN@HOME light sources have a special, transparent surface coating that reduces household germs, bacteria and bad odors. That means that it's not just the light that is better, the air quality is too.



#### **EASY INSTALLATION AND CONTROL:**









FREE LEDVANCE SMART<sup>+</sup> APP



#### **NATURAL LIGHT\*\*:**

Easy app control: SUN@HOME products offer automatic or individual adjustments that are perfectly matched to the natural course of daylight, such as changes in light colors.

<sup>\*</sup>Compared to conventional LEDs | \*\* Can also be connected and controlled with Google Nest Hub and Google Nest Mini, other Nest speakers or other compatible smart speakers such as Amazon Alexa.

## SUN@HOME WIFI LAMPS

#### SMART LAMPS AS CLASSIC SHAPES AND SPOTLIGHTS







3 SUN@HOME SPOT PAR16

SUN@HOME CLASSIC B 25



	CRI		(IP)		X INCL.	[mm]	d [mm]		
SUN@HOME CLASSIC A 75	95	180	IP20	100 000	1	120.0	64.0	4	
SUN@HOME CLASSIC A 40	95	220	IP20	100 000	1	118.0	60.0	4	
SUN@HOME CLASSIC B 25	95	220	IP20	100 000	1	114.0	39.0	4	
SUN@HOME SPOT PAR16	95	38	IP20	100 000	1	54.0	50.0	4	

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency)

#### SUN@HOME WIFI DOWNLIGHT SLIM SMART RECESSED DOWNLIGHTS































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	tm	W	оптрит	LIGHT SOURCE	K	CRI	
SUN@HOME Downlight Slim 225 mm	4058075 <b>575851</b>	1	White	Plastic	25 000	22.0	1 500	1 950	2 200 5 000	>95	110
SUN@HOME Downlight Slim 120 mm	4058075 <b>627024</b>	2	White	Plastic	25 000	8.0	400	700	2 200 5 000	>95	110
SUN@HOME Downlight Slim 85 mm	4058075 <b>627000</b>	3	White	Plastic	25 000	4.5	170	400	2 200 5 000	>95	110

Product name	IP		INCL.	th [mm]	Ø d [mm]	
SUN@HOME Downlight Slim 225 mm	IP20	15 000	1	33.5	225.0	6
SUN@HOME Downlight Slim 120 mm	IP20	15 000	1	35.0	120.0	6
SUN@HOME Downlight Slim 85 mm	IP20	15 000	1	37.0	85.0	6

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

#### SUN@HOME WIFI PLANON™ FRAMELESS SMART FRAMELESS PANEL LUMINAIRES













GTIN (EAN)



















		No.			CIVI	W	OUIPUI	SOURCE	W .	<b>GIII</b>	
SUN@HOME PLANON FRAMELESS 120 × 30	4058075 <b>575974</b>	1	White	Aluminum	30 000	35.0	2300	3 2 5 0	2 200 5 000	>95	110
SUN@HOME PLANON FRAMELESS 60 × 60	4058075 <b>575998</b>	2	White	Aluminum	30 000	35.0	2300	3 2 5 0	2 200 5 000	>95	110
SUN@HOME PLANON FRAMELESS 30 × 30	4058075 <b>576018</b>	3	White	Aluminum	30 000	20.0	1 200	1 800	2 200 5 000	>95	110

Product name	IP		NGI.	[mm]	W [mm]	h <sub>[mm]</sub>	<b>3</b>
SUN@HOME PLANON FRAMELESS 120×30	IP20	15 000	1	1 200.0	300.0	61.0	3
SUN@HOME PLANON FRAMELESS 60 × 60	IP20	15 000	1	600.0	600.0	61.0	3
SUN@HOME PLANON FRAMELESS 30 × 30	IP20	15 000	1	300.0	300.0	61.0	5

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

#### SUN@HOME WIFI PLANON™ PLUS

#### SMART PANEL LUMINAIRES WITH METAL DESIGN FRAMES































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	tm	W	оптрит	LIGHT SOURCE	K	CRI	
SUN@HOME PLANON PLUS 120 × 30	4058075 <b>576032</b>	1	White	Aluminum	30 000	35.0	2300	3 2 5 0	2200 5000	>95	110
SUN@HOME PLANON PLUS 60 × 60	4058075 <b>576056</b>	2	White	Aluminum	30 000	35.0	2300	3 2 5 0	2200 5000	>95	110
SUN@HOME PLANON PLUS 30 × 30	4058075 <b>576070</b>	3	White	Aluminum	30 000	20.0	1 200	1 800	2200 5000	>95	110

Product name	IP		X PROL	[mm]	W	h [mm]		
SUN@HOME PLANON PLUS 120 × 30	IP20	15 000	1	1 200.0	300.0	56.0	3	
SUN@HOME PLANON PLUS 60 × 60	IP20	15 000	1	600.0	600.0	56.0	3	
SUN@HOME PLANON PLUS 30 × 30	IP20	15 000	1	300.0	300.0	56.0	5	

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

## SUN@HOME WIFI LUMINAIRES FOR THE WORKPLACE

SMART FLOOR, DESK AND MONITOR LUMINAIRES

































Product name	GTIN (EAN)	No.	COLOR	MATERIAL	<b>t</b> m	W	OUTPUT	LIGHT SOURCE	K	CRI	
SUN@HOME PANAN Floor	4058075 <b>575899</b>	1	White	Metal	30 000	41.0	2000	3 900	2 200 5 000	> 95	
SUN@HOME PANAN Desk	4058075 <b>575875</b>	2	White	Metal	30 000	15.0	600	1 900	2200 5000	> 95	-
SUN@HOME Monitor Clip	4058075 <b>575912</b>	3	Black	Plastic	30 000	2.5	35	-	2200 5000	> 95	120

Product name	IP		NCL.	[mm]	W [mm]	h [mm]	Ø d [mm]	
SUN@HOME PANAN Floor	IP20	15 000	1	400.0	400.0	1 800.0	400.0	1
SUN@HOME PANAN Desk	IP20	15 000	1	500.0	220.0	545.0	220.0	4
SUN@HOME Monitor Clip	IP20	15 000	1	450,.0	21.3	95.0	-	4

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

## SUN@HOME WIFI ORBIS® PLATE, ORBIS® CROSS, MOODLIGHT AND FLEX SMART, AESTHETIC LIGHTS FOR ILLUMINATING, STYLING AND ACCENTUATING

































	No.	COLOR		UN	W	ОИТРИТ	LIGHT	The state of the s	CRI	
4058075 <b>575950</b>	1	White	PMMA	30 000	26.0	900	2100	2200 5000	>95	110
4058075 <b>575936</b>	2	White	Steel	30 000	12.0	600	800	2200 5000	>95	170
4058075 <b>576117</b>	3	White	Silicone	30 000	13.0	850	1140	2200 5000	>95	120
4058075 <b>576094</b>	4	White	Plastic	30 000	4.0	200	260	2200 5000	>95	110
	4058075 <b>575936</b> 4058075 <b>576117</b>	4058075 <b>575950</b> 1 4058075 <b>575936</b> 2 4058075 <b>576117</b> 3	4058075 <b>575950</b> 1 White 4058075 <b>575936</b> 2 White 4058075 <b>576117</b> 3 White	4058075 <b>575950</b> 1 White PMMA 4058075 <b>575936</b> 2 White Steel 4058075 <b>576117</b> 3 White Silicone	4058075 <b>575950</b> 1 White PMMA 30 000 4058075 <b>575936</b> 2 White Steel 30 000 4058075 <b>576117</b> 3 White Silicone 30 000	4058075 <b>575950</b> 1 White PMMA 30 000 26.0 4058075 <b>575936</b> 2 White Steel 30 000 12.0 4058075 <b>576117</b> 3 White Silicone 30 000 13.0	4058075 <b>575950</b> 1 White PMMA 30 000 26.0 900 4058075 <b>575936</b> 2 White Steel 30 000 12.0 600 4058075 <b>576117</b> 3 White Silicone 30 000 13.0 850	4058075 <b>575950</b> 1 White PMMA 30 000 26.0 900 2100 4058075 <b>575936</b> 2 White Steel 30 000 12.0 600 800 4058075 <b>576117</b> 3 White Silicone 30 000 13.0 850 1140	4058075 <b>575950</b> 1 White PMMA 30 000 26.0 900 2100 2200 5000 4058075 <b>575936</b> 2 White Steel 30 000 12.0 600 800 2200 5000 4058075 <b>576117</b> 3 White Silicone 30 000 13.0 850 1140 2200 5000	4058075 <b>575950</b> 1 White PMMA 30 000 26.0 900 2100 2200 5000 >95 4058075 <b>575936</b> 2 White Steel 30 000 12.0 600 800 2200 5000 >95 4058075 <b>576117</b> 3 White Silicone 30 000 13.0 850 1140 2200 5000 >95

Product name	IP		X Not.	[mm]	W [mm]	in [mm]	Ø d [mm]	<b>3</b>
SUN@HOME ORBIS Plate	IP20	10 000	1	430.0	430.0	70.0	-	3
SUN@HOME ORBIS Cross	IP20	15 000	1	309.0	200.0	106.0	_	8
SUN@HOME Flex 3M	IP20	15 000	1	3 000.0	10.0	2.8	_	4
SUN@HOME Moodlight	IP20	15 000	1	200.0	200.0	195.0	200.0	4

<sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | 2 Average life in hours | 3 Total luminous flux of the luminaire taking into account the diffuser | 4 Total luminous flux of the contained light sources without the diffuser

#### **SUN@HOME WIFI BATHROOM ROUND** SMART IP44 BATHROOM LUMINAIRES































Product name	GIIN (EAN)	No.	COLOR	MATERIAL	tm	W	оптрит	LIGHT	K	CRI	
SUN@HOME BATHROOM ROUND 450 mm	4058075 <b>750654</b>	1	Silver	Metal	30 000	20.0	700	1 560	2 200 5 000	> 95	300
SUN@HOME BATHROOM ROUND 300 mm	4058075 <b>750630</b>	2	Silver	Metal	30 000	14.0	460	1 040	2 200 5 000	>95	300
SUN@HOME BATHROOM ROUND 110 mm	4058075 <b>750616</b>	3	Silver	Metal	30 000	7.5	200	520	2 200 5 000	>95	300

Product name	IP		[mm]	W [mm]	h [mm]		
SUN@HOME BATHROOM ROUND 450 mm	IP44	15 000	470.0	112.0	102.0	4	
SUN@HOME BATHROOM ROUND 300 mm	IP44	15 000	305.0	112.0	102.0	8	
SUN@HOME BATHROOM ROUND 110 mm	IP44	15 000	118.0	112.0	130.0	8	

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

#### **SUN@HOME WIFI CIRCULAR**

#### SMART, AWARD-WINNING CEILING AND PENDANT LUMINAIRES













GTIN (EAN)



















		No.	COLOR	MATERIAL	UN	W	ОЙТРИТ	SOURCE	N	CRI	
SUN@HOME CIRCULAR WHITE	4058075 <b>762763</b>	1	White	Aluminum	30 000	18.5	500	1 400	2200 5000	>95	140
SUN@HOME CIRCULAR SILVER	4058075 <b>762787</b>	1	Silver	Aluminum	30 000	18.5	500	1 400	2200 5000	>95	140
SUN@HOME CIRCULAR PENDANT WHITE	4058075 <b>762725</b>	2	White	Aluminum	30 000	18.5	500	1 400	2 200 5 000	>95	140
SUN@HOME CIRCULAR PENDANT SILVER	4058075 <b>762749</b>	2	Silver	Aluminum	30 000	18.5	500	1 400	2200 5000	>95	140

Product name	IP		h [mm]	Ø d [mm]	
SUN@HOME CIRCULAR WHITE	IP20	15 000	97.0	450.0	4
SUN@HOME CIRCULAR SILVER	IP20	15 000	97.0	450.0	4
SUN@HOME CIRCULAR PENDANT WHITE	IP20	15 000	1210.0	450.0	4
SUN@HOME CIRCULAR PENDANT SILVER	IP20	15 000	1210.0	450.0	4

<sup>&</sup>lt;sup>1</sup> For more information and precise guarantee conditions go to www.ledvance.com/consumer/services/guarantee | <sup>2</sup> Average life in hours | <sup>3</sup> Total luminous flux of the luminaire taking into account the diffuser | <sup>4</sup> Total luminous flux of the contained light sources without the diffuser

### **A STRONG PRESENCE!**

## EXCELLENT CONSUMER GUIDANCE ON THE PACKAGING



## OUR PRODUCT PRESENTATION FOR YOUR SUCCESS

SUN@HOME grabs attention at the PoS with messages that are perfectly tailored to the needs of the target groups.

The eye-catching design communicates the effects and benefits of SUN@HOME clearly and concisely.






## A SUCCESSFUL CAMPAIGN **ACROSS ALL CHANNELS**

#### INTERNET PRESENCE A STRONG APPEARANCE

Our eye-catching web presence in over 16 countries firmly establishes our brand in the minds of customers and informs them about our smart product range and the various applications.



A coherent appearance across all online channels.



Great resonance from the social media campaigns in the form of reactions, reach and interactions in the high 7-digit range each year.







THAT'S HOW GOOD LIGHT FEELS



#### **SOCIAL-MEDIA EVERY CLICK A CONTACT**



Influencers use authentic domestic environments to present smart products for the various areas of application to the relevant target groups.

In the case of SUN@HOME, the focus is on health, wellbeing and working from home.



#### **ABOUT LEDVANCE**

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from OSRAM's general lighting division, LEDVANCE offers a wide-ranging portfolio of LED luminaires for a broad spectrum of applications, intelligent lighting products for Smart Home and Smart Building solutions, one of the most comprehensive ranges of advanced LED lamps in the lighting industry, traditional light sources, an LED Strip System and light management systems.



Customer Service Centre: kundenservice@ledvance.com

Germany:

Phone: +49 89 780673-670 Fax: +49 89 780670-665 LEDVANCE GmbH Parkring 29-33 85748 Garching Germany

**LEDVANCE.COM** 

For more information and support visit www.ledvance.com/sunathome

